



**SIRIM QAS INTERNATIONAL SDN. BHD.**

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-000056  
Licence No : LI022603

Date : 21/10/2024

INSAFOAM INSULATION (MALAYSIA) SDN. BHD.  
LOT 11118, KAMPUNG SG. RASAU  
BATU 8, PULAU MERANTI  
47120 PUCHONG  
SELANGOR, MALAYSIA

Attn : MR CHUAH

Tel No : 03-80605828

Fax No : 03-80609841

Dear Sir/Madam,

**Fire Listing Licence**

Product : PRE-INSULATED PIPE (POLYURETHANE CORE)  
Standard : BS 476 : PART 6 : 1989 + A1 : 2009 BS 476 : PART 7 : 1997

---

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Fire Listing Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : AFIQ HANAFIE BIN AZLAN  
Contact No : 6011-26291423  
Email : ahanafie@sirim.my

Thank you.

*This is a computer generated document. No signature is required.*

# SIJIL BARANGAN TERSENARAI

## *Product Listing Certificate*



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada**  
*SIRIM QAS International Sdn. Bhd. hereby grants to*

**INSAFOAM INSULATION (MALAYSIA) SDN. BHD.**  
**LOT 11118, KAMPUNG SG. RASAU**  
**BATU 8, PULAU MERANTI**  
**47120 PUCHONG**  
**SELANGOR, MALAYSIA**

**Sijil untuk menggunakan Tanda Barangan Tersenarai**  
*a certificate to use the Listed Product Mark on*

**PRE-INSULATED PIPE (POLYURETHANE CORE)**

**Please refer to detail in the SCHEDULE**

**sebagai mematuhi keperluan**  
*as complying with*

**BS 476 : PART 6 : 1989 + A1 : 2009**  
**BS 476 : PART 7 : 1997**



**Nur Fadhilah binti Muhammad**  
Ketua Pegawai Eksekutif  
*Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.



# SCHEDULE

**INSAFOAM INSULATION (MALAYSIA) SDN. BHD.**



Trade Mark : INSAPIPE  
Model : Foam Density: 40-50 kg/m<sup>3</sup>  
Rating : Fire propagation Index, I=0.8; Surface  
Spread of Flame: Class One  
Size : Insulation Thickness: 32.5mm  
Galvanised Iron Panel: 0.45mm  
Foam Density: 40-50 kg/m<sup>3</sup>  
Test Report: 2014FE0444 2014FE0445

TEST REPORT NO. : 2014FE0444, 2014FE0445

---

*End of page*

---

**SIRIM QAS International Sdn. Bhd.**  
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 603-5544 6000  
Emel : [cserviceqas@sirim.my](mailto:cserviceqas@sirim.my)

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

**Tarikh Mula Pensijilan : 07 September 2010**

*Certified Since*

**Sah Sehingga : 07 September 2025**

*Valid Until*

**Tarikh Dikeluarkan : 21 October 2024**

*Issue Date*

**No Siri : 103853**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*